NDEXED IN

DOAJ



#### Short Communication

**Open Access** 

Advancements in Life Sciences – International Quarterly Journal of Biological Sciences

#### ARTICLE INFO

Date Received: 19/07/2022; Date Revised: 09/08/2022; Date Published Online: 31/10/2022;

#### Authors' Affiliation:

 Department of Psychiatry, School of Medicine, Imam Hossein Hospital, Shahid Beheshti University of Medical Sciences, Tehran -Iran

2. Department of Food Hygiene, Tehran University of Medical Sciences, Tehran -Iran

3. Department of Environment Health, Food Safety Division, Faculty of Public Health, Tehran University of Medical Sciences, Tehran - Iran 4. School of Medicine, Emam Khomeini Hospital, Ilam University of Medical Sciences, Ilam - Iran

> \*Corresponding Author: Koroush Saki Email: koroshs.saki@gmail.com

#### How to Cite:

Saki K, Shokri S, Mazaheri Y, Khaniki GJ, Tahmasebi M, (2022). The perception and attitude of using herbal antianxiety and antidepressant drugs in medical students at llam University of Medical Sciences during 2021. Adv. Life Sci. 9(3): 368-372.

#### Keywords:

Medical plants; Knowledge; Attitude; Anxiety Depressant Drugs

# The Perception and Attitude of Using Herbal Antianxiety and Antidepressant Drugs in Medical Students at Ilam University of Medical Sciences during 2021

Koroush Saki<sup>1</sup>, Samira Shokri<sup>2</sup>, Yaganeh Mazaheri<sup>3</sup>, Gholamreza Jahed Khaniki<sup>3</sup>, Masoumeh Tahmasebi<sup>4\*</sup>

#### Abstract

**B** ackground: According to the more side effects of chemical drugs, it's worthy to let's spend our energy knowing more about medicinal herbs until perception and attitude checking towards the use of herbal antianxiety and antidepressant drugs in medical students of Ilam University of Medical Sciences, Ilam, Iran.

**Methods:** The present study is a cross-sectional descriptive study. People in the study were 40 medical students at Ilam University of Medical Sciences. The study population was randomly selected from boy and girl medical students. Questionnaires were adjusted based on the partial goals and research questions of design. The questions were designed in three categories of operation, belief, and knowledge about the use of antianxiety and antidepressant herbs.

**Results:** The results of this study showed that 70% of medical students do not recommend herbs for the treatment of anxiety and depression. And 60% of them prefer to use antianxiety and antidepressant herbs to treat their anxiety and depression. Also, 70% of medical students believe that herbs for anxiety and depression should be prescribed under medical care and 80% of them believe that herbal medicines are effective for anxiety and depression. 65% of medical students have aware that herbs for anxiety and depression are harmless, and 85% of them are aware that medical herbs are effective in treating anxiety and depression. *Hypericum perforatum* L., *Crocus sativus* L., *Rosmarinus officinalis* L., *Matricaria chamomilla* L., *Citrus limon* (L.) Osbeck, *Valeriana officinalis* L., *Lavandula angustifolia* Mill., *Foeniculum vulgare* Mill., Thymbera spicata L., *Echium amoenum* Fisch. & C.A.Mey., *Elissa officinalis* L., *Viola odorata* L., *Satureja khuzistanica* Jamzad and Aloysia aloysioides Loes. & Moldenke are used in both cases of depression and agitation too. Rosemary, Sanibal al-Tayyib, and savory plants are used in anxiety, and lemon, fennel, thyme, and violet performance are used in depression.

**Conclusion:** In general performance, belief, and attitude of medical students besides the use of anti-anxiety and antidepressant herbs were relatively good, but it's suggested that the relevant authorities pay more attention to this article including the group media and universities.



You're reading

The perception and attitude of using herbal antianxiety and antidepressant drugs in medical students at Ilam University of Medical Sciences during 2021

### Introduction

Human has long been accompanied by the phenomena of fear, anxiety, and depression and has always sought to find ways to overcome these problems and alleviate them, and in this way has achieved amazing results, but has not yet achieved complete success [1]. Anxiety is consisting of a Disseminated and ambiguous feeling of fear and anxiety of an unknown source, which affects a person and includes unreliability, inability, and physiological arousal [2]. Although little anxiety can be useful for daily life, more anxiety has serious physical injury, mind, profession, and education [2]. Much and long-term anxiety is usually accompanied by physiological responses such as increased metabolism and cardiovascular function, decreased immunity. Also, there is an important relationship between anxiety and subsequent mortality that indicates the importance of this disorder as an issue in public health and hygiene [3]. Depression is a mood disorder including impatience and running away from inactivity or bloodless and distaste and it can affect person's thoughts, behavior, feelings, happiness, and health [4]. Major depressive disorder is common with a prevalence of about 15% for a lifetime in women is likely to reach 25% [5]. The use of medicinal herbs has a very important place in health and hygiene systems around the world. These plants are consumed in various forms such as fresh, dried, or powdered plants, brewed, boiled, syrups, vegetable oils, and processed essential oils. Medicinal plants in terms of nature and have more proportions with the human body and have wide applications in medicine [6].

Although the use of medicinal plants has been limited by the development of the chemical industry, now, according to the apparent effects of the misuse of chemical drugs for most consumers, the desire to use medicinal plants has increased significantly [7]. Today, the use of medicinal plants has been considered because of easy access and fewer side effects than chemical drugs. Most herbal medicines enter the market without standard tests and public perception is that these medicines are nontoxic and for various reasons are used by many people and cause side effects [8]. Acquaintance the Health benefits of medicinal plants as well as the harms of modern therapies have encouraged people to use medicinal herbs. Many studies have specified special medicinal plants and their effectiveness in the treatment of specific diseases and many articles have been published in this connection [9]. Medicinal plants have long been of special interest to people because of their therapeutic use and have unique, valuable properties and therefore have been highly regarded to this time [10]. Medicinal herbs, chemical and natural products produced from it has a long time ago key role in the prevention and treatment of human diseases. Considering the above and the many side effects of

chemical drugs, it's worthy to spend our energy to know more about medicinal plants to examine the knowledge and attitude towards the use of herbal antianxiety and antidepressant drugs in medical students at Ilam University of Medical Sciences.

#### Methods

The present study is a cross-sectional descriptive study. The subjects were 40 medical students at Ilam University of Medical Sciences. The study population was randomly selected from boy and girl medical students. Questionnaires were regulated based on the specific objectives and research questions of the project. The questions were designed in three categories of performance, belief, and knowledge about the use of antianxiety and antidepressant medicinal herbs. Demographic information of the subjects was also obtained. Answers the sections of knowledge, belief, and practice (Table 1) reported as percentages thus Medicinal herbs used for anxiety and depression were also obtained.

| Questions |   | Yes | No |
|-----------|---|-----|----|
| Function  | Have you ever advised anyone to use herbal<br>remedies to treat anxiety and depression?<br>Have you ever been treated with herbal<br>remedies for anxiety and depression?<br>Have you stopped taking herbal remedies for<br>anxiety and depression?<br>Do you prefer to use herbal medicines for<br>anxiety and depression in the treatment of<br>your anxiety and depression?  |     |    |
| Belief    | Do you think the use of herbal medicines for<br>anxiety and depression should be under the<br>supervision of a doctor?<br>Do you think the use of medicines herbs for<br>anxiety and depression is only for Iran?<br>Do you believe in herbal remedies for anxiety<br>and depression?<br>Do you believe that herbal remedies for anxiety<br>and depression should be obtained from a<br>pharmacy?                         |     |    |
| Knowledge | Do you know any herbal medicines or herbs<br>that can be used as an antianxiety and<br>antidepressant?<br>If yes, please mention the type of disease and<br>the name of the plant? Please name some<br>medicinal plants that are used as antianxiety<br>and antidepressants.<br>Are herbal remedies for anxiety and depression<br>safe?<br>Do you think herbal medicines are effective<br>against anxiety and depression? |     |    |

**Table 1:** Questionnaire of knowledge, belief, and practice about herbal medicines for antianxiety and antidepressant

# Results

According to the results, 65% of the participants in the study were men and 35% were women.

| Sex   | Percent |
|-------|---------|
| Men   | 65%     |
| Women | 35%     |

Table 2: Percentage of the gender of participants in the study

After analyzing the data of the questionnaire, the results of the percentage of performance, belief, and knowledge

of medical students about the use of herbal antianxiety and antidepressant drugs have been determined in Tables 3-5.

| Operation   | Yes | No  |
|---|-----|-----|
| Have you ever advised anyone to use herbal remedies to treat anxiety and depression?                                | 30% | 70% |
| Have you ever been treated with herbal remedies for anxiety and depression?   | 35% | 65% |
| Have you stopped taking herbal remedies for anxiety and depression?   | 30% | 70% |
| Do you prefer to use herbal medicines (herbs) to treat<br>anxiety and depression in your anxiety and<br>depression? | 60% | 40% |

Table 3: Percentage of medical students' performance compared to the use of herbal antianxiety and antidepressant drugs

The results of this study showed (Table 3) that 70% of medical students do not recommend herbs to anyone for the treatment of anxiety and depression. Most of them (65%) have not been treated with herbal medicines and 70% of them have not stopped taking the medicines and 60% of them have preferred to use herbal medicines (medicinal herbs) for anxiety and depression.

| Belief   | Yes | No  |
|--|-----|-----|
| Do you think the use of herbal medicines (herbs) for<br>anxiety and depression should be under the supervision<br>of a doctor? | 70% | 30% |
| Do you think the use of herbal medicines (herbs) for<br>anxiety and depression is only for Iran?                               | 25% | 75% |
| Do you believe in herbal remedies for anxiety and depression?  | 80% | 20% |
| Do you believe that herbal remedies for anxiety and depression should be obtained from a pharmacy?                             | 55% | 45% |

Table 4: Percentage of medical students' belief in the use of herbal anti-anxiety and anti-depressant drugs.

Also, 70% of medical students believe that herbal medicines (medicinal herbs) for anxiety and depression should be under the supervision of a physician. 75% of medical students believe that the use of herbal medicines for anxiety and depression is only for Iran and 80% of them believe that herbal medicines for anxiety and depression are effective. Almost half of the students believe that herbal medicines for anxiety and depression must be preparation from pharmacies, and the other half do not believe in this (Table 4).

| Knowledge   |     | No  |
|---|-----|-----|
| Do you know any herbal medicines or herbs that can be used as   | 75% | 25% |
| an antianxiety and antidepressant?                              |     |     |
| Are herbal remedies for anxiety and depression safe?            | 65% | 35% |
| Do you think herbal medicines are effective against anxiety and | 85% | 15% |
| depression?   |     |     |

Table 5: Percentage of medical students' knowledge about the use of herbal antianxiety and antidepressant drugs

75% of medical students are aware of the use or name of herbal medicines or herbs that can be used as an antianxiety and antidepressant. 65% of them have aware that herbal medicines for anxiety and depression are safe, and 85% have aware that herbal medicines are effective in treating anxiety and depression (Table 5). St. John's wort, saffron, chamomile, lavender, borage, lemon balm, and lemon are used in both cases of anxiety and depression. Rosemary, valerian, and savory are used in cases of anxiety, and lemon, fennel, thyme, and fragrant violet are used in cases of depression (Table 6).

| Scientific name                                | Family Name    | Persian name      | Antianxiety | Antidepressant |
|--|----------------|-------------------|-------------|----------------|
| <i>Hypericum perforatum</i> L.                 | Hypericaceae   | St. John's wort   | •           | •              |
| Crocus sativus L.                              | Iridaceae      | Saffron flower    |             |                |
| <i>Rosmarinus</i><br>officinalis L.            | Lamiaceae      | Rosemary          |             | -              |
| <i>Matricaria<br/>chamomilla</i> L.            | Asteraceae     | Chamomile         |             |                |
| <i>Citrus limon</i> (L.)<br>Osbeck             | Rutaceae       | Lemon             | -           |                |
| <i>Valeriana<br/>officinalis</i> L.            | Caprifoliaceae | Valerian          | •           | -              |
| <i>Lavandula<br/>angustifolia</i> Mil L.       | Lamiaceae      | Lavender          |             |                |
| <i>Foeniculum vulgare</i> Mil L.               | Apiaceae       | Fennel            | -           |                |
| Thymbra spicata L.                             | Lamiaceae      | Thyme             | -           |                |
| Echium amoenum<br>Fisch. & C.A.Mey.            | Boraginaceae   | Borage            |             |                |
| Elissa officinalis L.                          | Violaceae      | Lamiaceae         |             |                |
| <i>Viola odorata</i> L.                        | Lamiaceae      | Lamiaceae         | -           |                |
| Satureja<br>khuzistanica<br>Jamzad             | Verbenaceae    | Savory            |             | -              |
| <i>Aloysia aloysioides</i><br>Loes. & Moldenke | Violaceae      | Lemon<br>Beebrush |             |                |

 Table 6: List of medicinal herbs used in anxiety and depression by medical students of Ilam University of Medical Sciences

#### Discussion

The results of our study identified medicinal plants such as *Hypericum perforatum* L., *Crocus sativus* L., *Rosmarinus officinalis* L., *Matricaria chamomilla* L., *Citrus limon* (L.) Osbeck, *Valeriana officinalis* L., *Lavandula angustifolia* Mill., *Foeniculum vulgare* Mill., *Thymbra spicata* L., *Echium amoenum* Fisch. & C.A.Mey., *Elissa officinalis* L., *Viola odorata* L., *Satureja khuzistanica* Jamzad and Aloysia aloysioides Loes. & Moldenke are used in cases of anxiety and depression in Ilam.

It has been determined that the most important compounds of *Hypericum perforatum* L include hypericin and cis-p-menth-3-en-1,2-diol [11]. It has been determined that safranal and crostin are among the most important compounds of Crocus sativus L [12]. In phytochemical studies, it has been determined that the most important compounds of Rosmarinus officinalis L include alpha-pinene, 1- and 8-cineole, verbanone, and camphor [13]. In phytochemical studies, it has been determined that one of the most important compounds of Matricaria chamomilla includes alphabisabolol [14]. The results of a study revealed that one of the most important compounds of Citrus limon plant includes protein [15]. The results of a study revealed that the most important compounds of Valeriana officinalis L include phenolic compounds [16]. It has also been identified medicinal plants such as Foeniculum vulgare You're reading

Mill., Thymbra spicata L., Echium amoenum Fisch. & C.A.Mev., Elissa officinalis L., Viola odorata L., Satureja khuzistanica Jamzad and Aloysia aloysioides are rich in phenolic, flavonoid and antioxidant compounds [17-22]. Although the use of medicinal herbs has been limited by the development of the chemical industry but recently in all the world, special attention has been created to these resources for the treatment of diseases. For this purpose, its worthy of more tries should be made to introduce the benefits of medicinal plants to the people. The goal of this study was to determine the level of knowledge, belief, and practice of medical students at Ilam University of Medical Sciences about the use of medicinal herbs and to try to identify the existing problem and suggest measures to correct this situation. Among the factors affecting attitude and awareness is lack of academic education and insufficient research [23]. Lack of access to accurate information is another factor affecting knowledge about the use of herbal medicines [24]. The transmission of traditional medicine information is a mixture of inheritor experiences from one generation to another which despite the advanced methods of communication is still quoted in the same old ways of course with thousands of mistakes [25]. Today, the use of medicinal herbs in developed countries is increasing rapidly [26]. The number of traditional healers in the United States and China is 90 thousand and 560 thousand respectively [27]. This is one of the reasons for the good attitude and belief and awareness of the community about the use of medicinal plants. The results of a study showed that 52.2% of the statistical population of the Sanandaj medical community have a positive attitude towards prescribing herbal medicines. 81.4% of them prescribe at least one item of herbal medicine [28]. The results of studies conducted in France and Denmark showed that physicians in these countries showed that 31 and 12 prescriptions of their prescriptions contain at least one herbal medicine [29].

People in Abhar city (northwest of Iran) use Conium maculatum for migraine pain and headache, Grammosciadium platycarpum as a muscle relaxer, Cota tinctoria and Descurainia sophia as sedatives, Herniaria hirsute and Lotus corniculatu as antidepressant, Lamium amplexicaule L. as an analgesic, Mentha longifolia for headache [30]. Hypericum perforatum L., Origanum vulgare, Ballota nigra, Rosa canina, Papaver orientale & Lotus corniculatus, Asperula odorata are used to treat pain, migraine, nerve weakness, insomnia stress in Arasbaran region, northern Iran, respectively [31]. Heracleum persicum, Kelussia odoratissima and Pimpinella anisum are used as sedatives, Sinaps nigra L. and *Stachys lavandulifolia* as appetite stimulants. Cynodon dactylon as hypnotics and Crataegus *curvisepal* as anti-anxiety and stress drug in Khuzestan,

south of Iran [32]. *Allium akaka Gmelin* is used as an appetite stimulant, *Echium italicum* L. and *Hypericum scabrum* L. as a sedative in Ilam, Iran [33]. People of Sistan region, located in the south-east of Iran, use *Datura innoxia* Mill. and *Solanum nigrum* for their sedative property, Mentha longifolia as appetite stimulant, Portulaca oleracea to treat migraine [34]. Medicinal plants are used as effective medicinal products in the treatment of all kinds of diseases, especially nervous and mental diseases, and they have a therapeutic effect [35-40].

According to the average knowledge about the use of antianxiety and antidepressant drugs in medical students, the establishment of educational and research centers in the field of herbs to increase awareness of herbs or herbal medicines is recommended.

# **Competing Interest**

The authors declare that there is no conflict of interest.

# Author Contributions

Samira Shokri: Data analysis Kourosh Saki: Monitoring of research Yeganeh mazaheri and Samira Shokri: Drafting Gholamreza Jahed khaniki: Manuscript scanning Samira Shokri: Data evaluation

# References

- 1. Mohammadi MR, Ahmadi N, Khaleghi A, Mostafavi SA, Kamali K, Rahgozar M, et al. Prevalence and correlates of psychiatric disorders in a national survey of Iranian children and adolescents. Iranian Journal of Psychiatry, (2019); 14(1): 1.
- 2. Cromby J, Harper D, Reavey P. Psychology, mental health, and distress. Macmillan International Higher Education; (2013); 27(3): 12-19.
- Panahi B, Danayi-Fard H. An analysis of employee's attitudes in public organizations: Explanation of organizational silence climate and silence behavior. Transformation Manage Journal, (2010); 2(3): 1-19.
- Hasan Zarei M, Taheri F, Sayar A. [Organizational silence: concepts, antecedents, and consequences]. Journal of Manage Science Iran, (2012); 6(21): 77-104.
- Bayat, Mohsen, and Shahbazi, Rasoul and Soraya, Keyvan and Badrkhani, Sepehr and Mahboub, Mahsa and Swabi, Vahid.Study of the prevalence of depression, anxiety and stress and related demographic factors in parents of 12th-grade students in Ardabil, Second National Conference on Social Injuries, Ardabil, (2019); 11(5): 98-111.
- Srivastava J, Lambert J, Vietmeyer N. Medicinal plants: An expanding role in development World Bank Publications, (1996); 320(7); 178-193.
- Ebrahimi Y, Hasanvand A, Safarabadi AM, Sepahvand H, Moghadasi M, Abbaszadeh S. A review of the most important herbal drugs effective in chest pain due to cardiac disease. Anaesthesia, Pain & Intensive Care. 2019 Jul 3;23(1).
- Khalili Tanha, G., Barzegar, A., Shokrzadeh, M., Nikbakhsh, N., Ansari, Z. Correlation between serum concentration of diazinon pesticide and breast cancer incidence in Mazandaran Province, northern Iran. Caspian Journal of Environmental Sciences, 2020; 18(3): 197-204.

You're reading

- Hasanvand A, Ebrahimi Y, Mohamadi A, Nazari A. Zingiber 9. officinale Roscoe reduces chest pain on patients undergoing coronary angioplasty: a clinical trial. Journal of Herbmed Pharmacology. 2019 Jan 2;8(1):47-50.
- 10. Obaid R, Kadhim Hindi N, Kadhum S, jafaar alwaeli L, Jalil A. Antibacterial activity, anti-adherence and anti-biofilm activities of plants extracts against Aggregatibacter actinomycetemcomitans: An in vitro study in Hilla City, Iraq. Caspian Journal of Environmental Sciences, 2022; 20(2): 367-372.
- Schepetkin IA, Özek G, Özek T, Kirpotina LN, Khlebnikov AI, 11 Ouinn MT. Chemical composition and immunomodulatory activity of Hypericum perforatum essential oils. Biomolecules, (2020); 10(6): 916-934.
- 12. Caballero-Ortega H, Pereda-Miranda R, Riverón-Negrete L, Hernández JM, Medécigo-Ríos M, Castillo-Villanueva A, Abdullaev FI. Chemical composition of saffron (Crocus sativus L.) from four countries. Acta Horticulturae, (2004); 19(1): 321-326.
- Hannour K, Boughdad A, Maataoui A, Bouchelta A. Chemical 13. composition of Rosmarinus officinalis (Lamiaceae) essential oils and evaluation of their toxicity against Bruchus rufimanus (Coleoptera: Chrysomelidae: Bruchinae) in Morocco. International Journal of Tropical Insect Science, (2018); 38(3): 192-204.
- 14. Kazemi M. Chemical composition and antimicrobial activity of essential oil of Matricaria recutita. International Journal of Food Properties, (2015); 18(8): 1784-1792.
- Paw M, Begum T, Gogoi R, Pandey SK, Lal M. Chemical composition of Citrus limon L. Burmf peel essential oil from North East India. Journal of Essential Oil Bearing Plants, (2020); 23(2):337-44.
- Patočka J, Jakl J. Biomedically relevant chemical constituents of 16. Valeriana officinalis. Journal of Applied Biomedicine, (2010); 8(1).11-8
- 17 Miguel MG, Cruz C, Faleiro L, Simões MT, Figueiredo AC, Barroso JG, Pedro LG. Foeniculum vulgare essential oils: chemical composition, antioxidant and antimicrobial activities. Natural Product Communications, (2010);5(2):193-206.
- 18. Gedikoğlu A, Sökmen M, Çivit A. Evaluation of Thymus vulgaris and Thymbra spicata essential oils and plant extracts for chemical composition, antioxidant, and antimicrobial properties. Food Science and Nutrition, (2019); 7(5): 1704-14.
- Azizi H, Ghafari S, Ghods R, Shojaii A, Salmanian M, Ghafarzadeh 19. J. A review study on pharmacological activities, chemical constituents, and traditional uses of Echium amoenum. Pharmacognosy Reviews, (2018); 1;12: 24.
- 20. Dastmalchi K, Dorman HD, Oinonen PP, Darwis Y, Laakso I, Hiltunen R. Chemical composition and in vitro antioxidative activity of a lemon balm (MElissa officinalis L.) extract. LWT-Food Science and Technology, (2008);1;41(3): 391-400.
- 21. Saidi M. Antioxidant activities and chemical composition of essential oils from Satureja khuzestanica, Oliveria decumbens and Thymus daenensis. Journal of Essential Oil Bearing Plants, (2014); 4; 17(3): 513-21.
- 22. Sgarbossa J, Schmidt D, Schwerz F, Schwerz L, Prochnow D, Caron BO. Effect of season and irrigation on the chemical composition of Aloysia triphylla essential oil. Revista Ceres, (2019); 6; 66:85-93.
- 23. Abera Y, Mulate B. Ethno-Veterinary Medicine: A Potential Alternative to Animal Health Delivery in Wolmera District, Oromia Region. Ethiopia Veterinary Journal, (2019); 23(7): 111-125.
- 24. Esfa A. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 82. IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. Lyon (FR): International Agency for Research on Cancer, (2002); 17(8): 23-46.
- Rafi Farjalaluddin. Anthropological study of traditional medicine among rural residents of Urmia.In short Contents and Traditions of International Medicine Between the Conference of the First Articles of Tehran Vice-Chancellor, Beheshti Medical Sciences University of Medical Sciences, International, Inter-University Relations Research Office, (2000); 2(3): 3-9.

- Omidbeigi. Important points and herbs of its cultivation drugs, 26. Razi Pharmaceutical Monthly, (1994); 9(11): 40-20.
- 27. Mossadegh A. Application tower of medicinal plants of Igah plants, other countries with Iran Nezamdar Health Therapy: Sixth University of Pharmaceutical Sciences, International Congress of Intermediate and Academic Congress, Research Office, Isfahan, (1998); 5(12) 1-17.
- Sanobar Tahani N, Rashidi K, Saleh Hajir M. Survey of attitude and 28. knowledge of Sanandaj medical community about herbal medicines and their prescription. Journal of Kurdistan University of Medical Sciences, (2006); 11(2): 48-44
- 29. Eisenberg DM, Davis RB, Ettner SL, Appel S, Wilkey S, Van Rompay M, Kessler RC. Trends in alternative medicine use in the United States, 1990-1997: results of a follow-up national survey. Jama, (1998); 280(18): 1569-1575.
- 30. Vafadar M, Toghranegar Z. Ethnobotanical study of some medicinal plants of Abhar county, Zanjan province. Journal of Medicinal Plants, (2020); 19 (75): 30-54.
- 31. Zulfiqalari A, Adeli A, Mozafarian and A, Baabiy S, Jabibi Q. Local native people of Danesh Todhu and Arsbaran, medicinal plants area. Iranian Journal of Medicinal and Aromatic Plants, (2003); 28(3): 534-550.
- 32. Amani S, Amiri H. Ethnobotany of medicinal plants in the northeast of Khuzestan province. Ecofitnoximi Quarterly Journal of Medicinal Plants, (2014); 8(2): 12-26.
- Ghasemi Pirbalouti A, Momeni M, Bahmani M. Ethnobotanical study of medicinal plants used by kurd tribe in Dehloran and Abdanan Districts, Ilam Provine, Iran. African Journal of Tradititional and Complementary and Alternative Medicine, (2013); 10(2):368-390.
- Iranmanesh M, Najafi S, Yousefi M. Ethnobotanical survey of 34. medicinal plants in Hesistan region. Ecofitnoximi Quarterly Journal of Medicinal Plants, (2014); 2(1): 61-68.
- Solati K, Karimi M, Rafieian-Kopaei M, Abbasi N, Abbaszadeh S, 35 Bahmani M. Phytotherapy for wound healing: The most important herbal plants in wound healing based on iranian ethnobotanical documents. Mini-Reviews in Medicinal Chemistry, (2021); 21(4): 500-519.
- 36. Bahmani M., Jalilian A, Salimikia I, Shahsavari S, Abbasi N. Phytochemical screening of two Ilam native plants Ziziphus nummularia (Burm.f.) Wight & Arn. And Ziziphus spina-christi (Mill.) Georgi using HS-SPME and GC-MS spectroscopy. Plant Science Today, (2020); 7(2): 275-280.
- Abbasi N, Khalighi Z, Eftekhari Z, Bahmani M. Extraction and 37 phytoanalysis of chemical compounds of Eucalyptus globulus leaf native to Dehloran, Ilam province, Iran by HS-SPME and GC-MS. Advances in Animal and Veterinary Sciences, (2020); 8(6): 647-652.
- 38. Ebrahimi Y, Hasanvand A, Valibeik A, Ebrahimi F, Abbaszadeh S. Natural antioxidants and medicinal plants effective on hyperlipidemia. Res. J. Pharm. Technol. 2019 Mar 31;12:1457-62.
- 39. Uroko RI, Nweje-Anyalowu PC, Aaron CF, Chukwu CN. Combined Extract of Spermacoce radiata (DC.) Hiern and Hypselodelphys poggeana (K.Schum.) Milne-Redh leaves (CEESH) confer Hepatoprotection in Rat Induced Benign Prostatic Hyperplasia. Plant Biotechnology Persa, (2022); 4 (1): 78-88.
- 40 Obaid R, Kadhim Hindi N, Kadhum S, jafaar alwaeli L, Jalil A. Antibacterial activity, anti-adherence and anti-biofilm activities of plants extracts against Aggregatibacter actinomycetemcomitans: An in vitro study in Hilla City, Iraq. Caspian Journal of Environmental Sciences, (2022); 20(2): 367-372.



This work is licensed under a Creative Commons Attribution-Non Commercial 4.0 International License. To read the copy of this license please visit: https://creativecommons.org/licenses/by-

<u>nc/4.0/</u>

Advancements in Life Sciences | www.als-journal.com | October 2022 | Volume 9 | Issue 3

372